

IP55 FREE STANDING CABINET



IP55 FREE STANDING CABINET GENERAL FEATURES


Free standing IP55 industrial cabinets are 19" rack cabinets for housing all types of 19" devices and equipments providing them for protection against dust, water and external impacts.

HIGH STRENGTH

It can bear heavy devices thanks to its fully **welded** extra resistant carcass system and surface panels of thick steel.

MAXIMUM TIGHTNESS

It provides protection against dust and water through its gasket structure on fully detachable side, front, rear and bottom panels.





MULTI DIRECTIONAL CABLE INLETS

It enables intense cable inlets through its 2, PG48 IP cable glands and 100mm X 100mm rubber cable entry holes.

MULTI DIRECTIONAL ACCESS

Access to the cabinet is available from every direction thanks to detachable front, rear and side panels.

OPTIONAL AIR CONDITIONER

If indicated on order, top, side or rear doors may be provided with an industrial air conditioner.

STANDARDS AND COMPLIANCES

ISO9001:2008 Quality Management System

IEC 297-1, 19" mounting standard

IEC 297-2, Overall cabinet dimensions

TS EN 61587-1 Standard.

Environment Friendly

%100 recyclable.



MOUNTED STRUCTURE

They are delivered mounted, as one-piece.

MAXIMUM SAFETY

It ensures maximum safety through its 4 point handled locking system found at the front and rear doors.

FRONT DOOR

Standard front door model is of metal frame, 4mm, tempered, antistatic, smoothed and of high fracture resistance, full length glass door model.

REAR DOOR

Standard rear door model is a metal door when indicated on order.

GROUNDING

In order to ensure continuity of grounding there is provided connection terminals on each panel.

BASE MODULE


Base module of H=100mm at the bottom allows cable harness incoming from the bottom to be kept and reserved.

IP55 FREE STANDING CABINET

EXPLODED VIEW

WIDTH W: 600 / 800mm


DEPTH D: 600 / 800 / 1000mm



CONSTRUCTION DRAWINGS

WIDTH W: 600 / 800mm

DEPTH D: 600 / 800 / 1000mm



IP55 FREE STANDING CABINETS W=600mm/800mm D=600mm/800mm/1000mm Loading Capacity : 1200kg

Product Code	Product Description	Product Dimensions WxDxH (mm)	Package Dimensions WxDxH (mm)	Product Net Weight (kg)	Product Gross Weight (kg)	Number on the Pallet (pcs)	Pallet Dimensions WxDxH (mm)	Pallet Weight (kg)
MR.IP55G16U66.XX	16U W=600mm D=600mm Free Standing IP55 Cabinet	600x600x800	630x630x830	52,2	54,2	1	680x680x1070	61,2
MR.IP65522U66.XX	22U W=600mm D=600mm Free Standing IP55 Cabinet	600x600x1100	630x630x1130	66,7	69,2	1	680x680x1370	76,2
MR.IP55G26U66.XX	26U W=600mm D=600mm Free Standing IP55 Cabinet	600x600x1300	630x630x1330	75,4	78,4	1	680x680x1600	85,4
MR.IP55G32U66.XX	32U W=600mm D=600mm Free Standing IP55 Cabinet	600x600x1600	630x630x1630	89,9	93,5	1	680x680x1870	96,9
MR.IP55G36U66.XX	36U W=600mm D=600mm Free Standing IP55 Cabinet	600x600x1800	630x630x1830	98,6	102,6	1	680x680x2050	109,6
MR.IP55G42U66.XX	42U W=600mm D=600mm Free Standing IP55 Cabinet	600x600x2100	630x630x2130	113	117,5	1	680x680x2370	124,5
MR.IP55G16U88.XX	16U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x800	830x830x830	60,9	63	1	630x830x1070	71
MR.IP55G22U88.XX	22U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1100	830x830x1130	77	80,5	1	630x830x1370	88,5
MR.IP55G26U88.XX	26U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1300	830x830x1330	87,7	91,7	1	630x830x1600	99,7
MR.IP55G32U88.XX	32U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1600	830x830x1630	102,9	106,5	1	630x830x1870	114,5
MR.IP55G36U88.XX	36U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1800	830x830x1830	114	119	1	630x830x2050	127
MR.IP55G42U88.XX	42U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x2100	830x830x2130	130,5	136	1	630x830x2370	144
MR.IP55G26U1000.XX	26U W=800mm D=1000mm Free Standing IP55 Cabinet	800x1000x1300	830x1030x1330	94,2	97,2	1	630x1030x1600	107,2
MR.IP55G36U1000.XX	36U W=800mm D=1000mm Free Standing IP55 Cabinet	800x1000x1800	830x1030x1830	123,2	127,2	1	630x1030x2050	137,2
MR.IP65542U1000.XX	42U W=800mm D=1000mm Free Standing IP55 Cabinet	800x1000x2100	830x1030x2130	140	144,5	1	630x1030x2370	154,5
MR.IP55G22U88.XX	22U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1100	830x830x1130	81,4	83,4	1	830x830x1370	91,4
MR.IP55G26U88.XX	26U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1300	830x830x1330	96	99	1	830x830x1600	107
MR.IP55G32U88.XX	32U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1600	830x830x1630	118	121,5	1	830x830x1870	129,5
MR.IP55G36U88.XX	36U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x1800	830x830x1830	133	137	1	830x830x2050	145
MR.IP55G42U88.XX	42U W=800mm D=800mm Free Standing IP55 Cabinet	800x800x2100	830x830x2130	156	161	1	830x830x2370	169

XX= Color Code, 02 means Light Grey RAL 7035 and 01 means Black RAL 9005, the code is added by the customer at the order.

When one of the door options is selected, it should be informed at the order with its selected surface.

Standart kabinet kapak seçenekleri;
Standart cabinet: Front Door=1 (glass door)
Rear Door= 2 (metal door)

COLOR OPTIONS
RAL 7035 LIGHT GREY RAL 9005 BLACK