

ECO SERIES FREE STANDING CABINET



ECONOMIC SOLUTION

Free standing ECO cabinets are low cost and **economic** 19" rack cabinets

SPACIOUS INTERNAL VOLUME

It is suitable for all types of network and server devices with spacious internal volume and diverse size options.

LOCKING SYSTEM

Front door has a **handled lock** mechanism.

Rear door has barrel locking system.

ADJUSTABLE DEPTH

DEVICE INSTALLATION RAILS

1 set including 4 rails are with galvanized coating and adjustable across the depth of the cabinet.



| STANDARDS AND COMPLIANCES |
|---|
| ISO9001:2008 Quality Management System |
| IEC 297-1, 19" mounting standard |
| IEC 297-2, Overall cabinet dimensions |
| TS EN 61587-1 Standard. |
| Environment Friendly |
| %100 recyclable. |
|    |

ACTIVE/PASSIVE VENTILATION

By means of 4 ventilation holes on the upper chassis of the cabinet, passive ventilation is achieved if fan modules are attached, and passive ventilation is achieved if not.



DECORATIVE PVC CORNERS

PVC corner pieces at the top and bottom corners of the cabinet furnish an aesthetic appearance to the cabinet

AESTHETIC VIEW

It presents a decorative appearance with its extruded aluminum frame, 4mm, smoothed, antistatic, tempered, high fracture resistance, full length glass door

FIXED SIDE DOORS

Access to the cabinet is allowed from the front and rear doors since the side doors are fixed.

GROUND CONTACT

In standard model cabinets contact to the ground is established with 4 pinion feet of adjustable height, yet a caster group may also be preferred optionally.

RUBBER CABLE INLET MODULE

By means of the rubber cable inlet module at the lower chassis, intense cable harness may be housed in an ordered manner.




DEMOUNTED DELIVERY

Among 2 options of wrapping as demounted and mounted, demounted wrapping is the most preferred one due to dispatch cost considerations and its ease of mounting.


ECO W: 600mm FREE STANDING CABINET

EXPLODED VIEW

WIDTH W: 600mm
DEPTH D: 600 / 800 / 1000mm



CONSTRUCTION DRAWINGS



WIDTH W: 600mm
DEPTH D: 600 / 800 / 1000mm



FREE STANDING ECO CABINETS W=600mm/800mm D=600mm/800mm/1000mm

Loading Capacity : 600kg

| Product Code | Product Description | U Measurement (mm) | Product Dimensions WxDxH (mm) | Width: Between Rails (mm) | Depth: Between Rails (mm) | U Measurement (mm) | Package Dimensions WxDxH (mm) | Number in the Package (pcs) | Product Net Weight (kg) | Product Gross Weight (kg) | Assembled Shipment Pallet Dimensions WxDxH (mm) | Assembled Shipment Weight (kg) | Demounted Shipment Pallet Dimensions WxDxH (mm) | Demounted Shipment Weight (kg) | Height: with Leveling Feet (mm) | Height: with Castor Group (mm) | | |
|----------------|--|--------------------|-------------------------------|---------------------------|---------------------------|--------------------|-------------------------------|-----------------------------|-------------------------|---------------------------|---|--------------------------------|---|--------------------------------|---------------------------------|--------------------------------|------|------|
| MR.GTE16U66.XX | 16U W=600mm D=600mm Free Standing ECO Cabinet | 16U | 600x600x770 | 19" | 390 | 675 | 680x680x886 | 1 | 33,2 | 41,2 | 680x680x1026 | 41,2 | 680x940x210 | 8 | 680x1000x1950 | 452 | 886 | 916 |
| MR.GTE22U66.XX | 22U W=600mm D=600mm Free Standing ECO Cabinet | 22U | 600x600x1050 | 19" | 390 | 955 | 680x680x1153 | 1 | 41,7 | 49,7 | 680x680x1263 | 49,7 | 680x1200x210 | 8 | 680x1200x1950 | 537 | 1153 | 1183 |
| MR.GTE26U66.XX | 26U W=600mm D=600mm Free Standing ECO Cabinet | 26U | 600x600x1250 | 19" | 390 | 1155 | 680x680x1331 | 1 | 47,4 | 55,4 | 680x680x1440 | 55,4 | 680x1380x210 | 8 | 680x1400x1950 | 654 | 1331 | 1361 |
| MR.GTE32U66.XX | 32U W=600mm D=600mm Free Standing ECO Cabinet | 32U | 600x600x1540 | 19" | 390 | 1445 | 680x680x1597 | 1 | 55,9 | 63,9 | 680x680x1707 | 63,9 | 680x1650x210 | 8 | 680x1700x1950 | 739 | 1597 | 1627 |
| MR.GTE36U66.XX | 36U W=600mm D=600mm Free Standing ECO Cabinet | 36U | 600x600x1730 | 19" | 390 | 1635 | 680x680x1765 | 1 | 61,6 | 69,6 | 680x680x1885 | 69,6 | 680x1825x210 | 8 | 680x1850x1950 | 826 | 1775 | 1805 |
| MR.GTE42U66.XX | 42U W=600mm D=600mm Free Standing ECO Cabinet | 42U | 600x600x2020 | 19" | 390 | 1925 | 680x680x2042 | 1 | 70,2 | 78,2 | 680x680x2152 | 78,2 | 680x2100x210 | 8 | 680x1900x1950 | 947 | 2042 | 2072 |
| MR.GTE16U68.XX | 16U W=600mm D=800mm Free Standing ECO Cabinet | 16U | 600x800x770 | 19" | 555 | 675 | 680x880x886 | 1 | 38,25 | 46,25 | 680x880x1026 | 46,25 | 880x940x210 | 8 | 880x1000x1950 | 532,5 | 886 | 916 |
| MR.GTE22U68.XX | 22U W=600mm D=800mm Free Standing ECO Cabinet | 22U | 600x800x1050 | 19" | 555 | 955 | 680x880x1153 | 1 | 48 | 56 | 680x880x1253 | 56 | 880x1200x210 | 8 | 880x1200x1950 | 630 | 1153 | 1183 |
| MR.GTE26U68.XX | 26U W=600mm D=800mm Free Standing ECO Cabinet | 26U | 600x800x1250 | 19" | 555 | 1155 | 680x880x1331 | 1 | 54,6 | 62,6 | 680x880x1440 | 62,6 | 880x1380x210 | 8 | 880x1400x1950 | 756 | 1331 | 1361 |
| MR.GTE32U68.XX | 32U W=600mm D=800mm Free Standing ECO Cabinet | 32U | 600x800x1540 | 19" | 555 | 1445 | 680x880x1597 | 1 | 64,4 | 72,4 | 680x880x1707 | 72,4 | 880x1650x210 | 8 | 880x1700x1950 | 854 | 1597 | 1627 |
| MR.GTE36U68.XX | 36U W=600mm D=800mm Free Standing ECO Cabinet | 36U | 600x800x1730 | 19" | 555 | 1635 | 680x880x1765 | 1 | 71 | 79 | 680x880x1885 | 79 | 880x1825x210 | 8 | 880x1850x1950 | 950 | 1775 | 1805 |
| MR.GTE42U68.XX | 42U W=600mm D=800mm Free Standing ECO Cabinet | 42U | 600x800x2020 | 19" | 555 | 1925 | 680x880x2042 | 1 | 81 | 89 | 680x880x2152 | 89 | 880x2100x210 | 8 | 880x1900x1950 | 1080 | 2042 | 2072 |
| MR.GTE26U61.XX | 26U W=600mm D=1000mm Free Standing ECO Cabinet | 26U | 600x1000x1250 | 19" | 740 | 1155 | 680x1080x1331 | 1 | 59,2 | 67,2 | 680x1080x1440 | 67,2 | 1080x1380x240 | 8 | 1080x1400x2200 | 772 | 1331 | 1361 |
| MR.GTE36U61.XX | 36U W=600mm D=1000mm Free Standing ECO Cabinet | 36U | 600x1000x1730 | 19" | 740 | 1635 | 680x1080x1765 | 1 | 76,95 | 84,95 | 680x1080x1885 | 84,95 | 1080x1825x240 | 8 | 1080x1850x2200 | 950 | 1775 | 1805 |
| MR.GTE42U61.XX | 42U W=600mm D=1000mm Free Standing ECO Cabinet | 42U | 600x1000x2020 | 19" | 740 | 1925 | 680x1080x2042 | 1 | 87,57 | 95,57 | 680x1080x2152 | 95,57 | 1080x2100x240 | 8 | 1080x1900x2200 | 1175 | 2042 | 2072 |

XX= Color Code, 02 means Light Grey RAL 7035 and 01 means Black RAL 9005, the code is added by the customer at the order.

When one of the door options is selected, it should be informed at the order with its selected surface.

The number 0 from the door options stands for "doorless". The standard door options: Front Door=1, Rear Door=2.


COLOR OPTIONS
RAL 7035 LIGHT GREY RAL 9005 BLACK

ECO W: 800mm FREE STANDING CABINET

EXPLODED VIEW

WIDTH W: 800mm


DEPTH D: 800mm



CONSTRUCTION DRAWINGS

WIDTH W: 800mm

DEPTH D: 800mm



FREE STANDING ECO CABINETS W=800mm D=800mm

Loading Capacity : 600kg

| Product Code | Product Description | U Measurement (U) | Product Dimensions WxDxH (mm) | Width Between Rails (mm) | Depth Between Rails (mm) | h Measurement (mm) | Package Dimensions WxDxH (mm) | Number in the Package (pcs) | Product Net Weight (kg) | Product Gross Weight (kg) | Assembled Shipment Pallet Dimensions WxDxH (mm) | Assembled Shipment Pallet Weight (kg) | Demounted Shipment Package Dimensions WxDxH (mm) | Demounted Shipment Pallet Weight (kg) | Demounted Shipment Pallet Dimensions WxDxH (mm) | Demounted Shipment Pallet Weight (kg) | Height with Leveling Feet (mm) | Height with Caster Group (mm) |
|----------------|---|-------------------|-------------------------------|--------------------------|--------------------------|--------------------|-------------------------------|-----------------------------|-------------------------|---------------------------|---|---------------------------------------|--|---------------------------------------|---|---------------------------------------|--------------------------------|-------------------------------|
| MR.GTE22U88.XX | 22U W=800mm D=800mm Free Standing ECO Cabinet | 22U | 800x800x1050 | 19" | 555 | 955 | 880x880x1153 | 1 | 56,7 | 64,7 | 880x880x1263 | 64,7 | 880x1200x210 | 8 | 880x1200x1950 | 717 | 1153 | 1183 |
| MR.GTE26U88.XX | 26U W=800mm D=800mm Free Standing ECO Cabinet | 26U | 800x800x1250 | 19" | 555 | 1155 | 880x880x1331 | 1 | 64,5 | 72,5 | 880x880x1440 | 72,5 | 880x1380x210 | 8 | 880x1400x1950 | 855 | 1331 | 1361 |
| MR.GTE32U88.XX | 32U W=800mm D=800mm Free Standing ECO Cabinet | 32U | 800x800x1540 | 19" | 555 | 1445 | 880x880x1597 | 1 | 76,14 | 82,14 | 880x880x1707 | 82,14 | 880x1650x210 | 8 | 880x1700x1950 | 970 | 1597 | 1627 |
| MR.GTE36U88.XX | 36U W=800mm D=800mm Free Standing ECO Cabinet | 36U | 800x800x1730 | 19" | 555 | 1635 | 880x880x1765 | 1 | 83,7 | 91,7 | 880x880x1885 | 91,7 | 880x1825x210 | 8 | 880x1850x1950 | 1077 | 1775 | 1805 |
| MR.GTE42U88.XX | 42U W=800mm D=800mm Free Standing ECO Cabinet | 42U | 800x800x2020 | 19" | 555 | 1925 | 880x880x2042 | 1 | 95,4 | 103,4 | 880x880x2152 | 103,4 | 880x2100x210 | 8 | 880x1900x1950 | 1224 | 2042 | 2072 |

XX= Color Code, 02 means Light Grey RAL 7035 and 01 means Black RAL 9005, the code is added by the customer at the order.

When one of the door options is selected, it should be informed at the order with its selected surface.

The number 0 from the door options stands for "doorless". The standard door options: Front Door=1, Rear Door=2.

COLOR OPTIONS
RAL 7035 LIGHT GREY RAL 9005 BLACK